
QTY ITEM P/N DESCRIPTION D4150-041 ATTACHMENT ARM ASSY D4150-1 2 D4150-3 ARM PLATE AN3C13A BOLT 1 - MS21043-3-NUT---NAS1149C0332R WASHER



**D4150-041 ATTACHMENT ARM ASSY** 

REPLACED QTY(3) MS20615-4M20 WITH QTY(2) EACH AN3C13A, MS21043-3 AND QTY(4) NAS1149C0332R WASHER (ZN D3-1); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN C6-2, C7-2, B4-3 & B5-3). REASON: SEE TR-D350-607-2 REV. B. MB 10.07.08 NEW ISSUE Α MB 10.06.18 REV. DESCRIPTION BY DATE DESIGN DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. REV. B D4150 MFG. APPR. SHEET 1 OF 3 APPROVED TITLE SCALE ATTACHMENT ARM ASSY DE APPR. NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED ON COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE, LTD. DATE 10.07.08

1) MATERIAL: N/A 2) FINISH: NONE

D

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: N/A

6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4150-041" USING FINE POINT PERMANENT INK MARKER

7) WEIGHT: 0.82 lbs

8 D 0.825 +0.010 -0.000 0.700 2.907 R0.06 0.063 B B R0.38 REF Ø0.191 THRU 2 PL 0.400 0.800 2 PL 0.75 0.375 Ø0.266 THRU R0.06 TYP D4150-1 ARM DESIGN NOTES:
1) MATERIAL: 303/304/316 STAINLESS STEEL BAR PER ASTM A582 OR ASTM A276
REF DART SPEC M304B OR M303B DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA 2) FINISH: NONE
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK ALL SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.60 lbs CHECKED DRAWING NO. REV. B D4150 MFG. APPR. SHEET 2 OF 3 TITLE **APPROVED** SCALE ATTACHMENT ARM ASSY DE APPR. COPYRIGHT © 2010 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT DATE 10.07.08

8

·

3

2

\*

